Roll No:	
Application No:	
Candidate Name:	
Test Center Name:	
Test Date:	14/07/2019
Test Time:	2:30 PM - 4:00 PM
Subject:	Homeopathy

purgi	atient presents with symptoms of collapse, extreme coldness and weakness. Cold spiration on the forehead was very marked. There is history of severe vomiting, ging and cramps in extremities. Patient had thirst for cold water with craving for its, juicy & cold things. Which of the following remedy is indicated?	
A.	Cuprum met.	
B.	Carbo veg.	
C.	Camphor	
D.	Veratrum album	
ptions 1. A		
2. B		
3. C		
4. D Correct		
option-4		
Q.2 Whi	nich of the following muscle has Attachment on the Capsule of Hip Joint?	
Α.	Sartorius	
B.	Rectus Femoris	
C.	Vastus Lateralis	
D.	Vastus Medialis	
ptions 1. A		
2. B		
2. B 3. C		
3. C 4. D		
3. C 4. D Correct		
3. C 4. D		
3. C 4. D Correct		

Pulse Coaching Institute. AIAPGET 2019 Q&A Key			

#### Q.3

Match the following:

- J.T.Kent i. a. Doctrine of signatures
- ii. Horace b. Series in Degrees
- iii. Paracelsus C. Aude Sapere
- A. i - a, ii - b, iii - c
- i b, ii c, iii a B.
- i c, ii a, iii b C.
- D. i a, ii c, iii bOptions 1. A

- 2. B
- 3. C
- 4. D

Correct option-2

- Q.4 In Kent's Repertory of Homoeopathic Materia Medica, the rubric :Apoplexy" is given in which of the following chapter?
- A. Abdomen
- B. Vertigo
- C. Generalities
- D. Head

#### Options 1. A

- 2. B
- 3. C
- 4. D

Correct option-3

Q.5 Which of the following condition occurs during secondary action?

- A. Stupefied sleep caused by Opium
- B. Person heated after violent exercise
- C. Sluggishness and drowsiness after use of strong
- D. Heat produced by drinking wine

#### Options 1. A

- 2. B
- 3. C
- 4. D

Correct option-3

ı	

Q.6		
Q.0	Wing	ging of Scapula is due to
	A.	Dorsal Scapular Nerve Palsy
	B.	Supra Scapular Nerve Palsy
	C.	Long Thoracic Nerve Palsy
	D.	Musculocutaneous Nerve Palsy
Options 1.		
2. 3.		
4.		
Corre option		
Q.7	Moth	ner tinctures are prepared by using which type of Alcohol?
	Α.	Absolute alcohol
	В.	Strong alcohol
	C.	Rectified Spirit 40 OP
	D.	Rectified Spirit 60 OP
Options 1.		Neotified Opint 60 Of
2.		
3.		
4. Corre	ect	
option	-2	
		among the following perceived the Law of similars prior to discovery of eopathy?
新	Α.	Stahl
	B.	Sydenham
	C.	Morgagni
	D.	Fracastoro
Options 1.		
2. 3.		
4.	D	
Corre option		

			Chosen Option : 1
Q.9	Mur	ohy's Sign is Positive in	
	Α.	Acute Cholecystitis	
	B.	Pancreatitis	
	C.	Acute Cholangitis	
	D.	Acute Appendicitis	
3	2. B 3. C 1. D		
Q.10			
<b>4.10</b>		are features of COPD, EXCEPT:	
	Α.	Smoker's cough	
	В.	Dyspnoea	
	C. D.	Haemoptysis Clubbing of nails	
3	2. B 3. C 4. D		
Q.11	A. R B. Pl C. Si D. Pl	with one leg drawn up and the other stretched out". which remedy hododendron latina tannum met.	This position of sleep is
3	2. B 3. C 3. D	option-3	

Q.12	L. Line No.	
	gulative Necrosis is NOT seen in	
A.	Myocardial Infarction	
B.	Tuberculosis	
C.	Thermal Injury	
D.	Zenker degeneration necrosis	
Options 1. A 2. B		
3. C		
4. D Correct		
option-2		
Q.13 Wha	t amount of reduced haemoglobin in blood causes cy	ranosis?
A.	between 1- 2gm%	
В.	between 2-3gm%	
C.	between 3-4gm%	
D.	More than 5gm%	
Options 1. A	on Annual Control Cont	
2. B		
3. C 4. D		
Correct		
option-4		
Q.14 Bloc	and procesure in defined as the particular of	
2.00	od pressure is defined as the product of:	
A.	Cardiac output X Peripheral resistance	
B.	Systolic pressure X Pulse rate	
C.	Diastolic pressure X Pulse rate	
D.	Pulse pressure X Pulse rate	
Options 1. A		
2. B		
3. C		

4. D	
Correct	
option-1	
Q.15 Thor	
THE	most frequently encountered Neoplasm of the Anterior Mediastinum in adults is
Α.	Lymphoma  Mediastinal Granuloma
В. С.	Thymoma
D.	Germ Cell Tumour
Options 1. A	
2. B	
3. C	
4. D Correct	
option-3	
Q.16 Oral	I Contraceptives give protection against all of the following EXCEPT
A.	Rheumatoid arthritis
В.	Endometrial Cancer
C.	Hepatic Adenoma
D.	Benign Breast Disease
Options 1. A	
2. B 3. C	
4. D	
Correct option-3	
орион-з	
	ch among the following is NOT the feature of Fracture of Neck of Femur?
A.	Internal Rotation of Leg
A. B.	Internal Rotation of Leg Shortening of Leg
A. B. C.	Internal Rotation of Leg Shortening of Leg Tenderness in Groin
A. B.	Internal Rotation of Leg Shortening of Leg
A. B. C. D.	Internal Rotation of Leg Shortening of Leg Tenderness in Groin
A. B. C. D.  Options 1. A 2. B	Internal Rotation of Leg Shortening of Leg Tenderness in Groin
A. B. C. D.	Internal Rotation of Leg Shortening of Leg Tenderness in Groin

Q.18	Righ	nt Coronary artery supplies all E	XCEPT
	A.	Apex of Heart	
	B.	Interventricular Septum	
	C.	Interatrial Septum	
	D.	S.A. Node	
Options 1			
	2. B 3. C		
Corr			
optio	n-1		
Q.19	Which of	the following is the most important indicator of commencir	ng amelioration or
		on in a patient? ndition of local pathology	
		te of mind & whole demeanor of the patient	
		pearance of skin eruptions	
Options 1		rease in ESR levels	
	. ^		
2	2. B		
3	2. B 3. C		
3	2. B 3. C I. D rect		
2 3 4 Corr	2. B 3. C I. D rect		
2 3 4 Corr	2. B 3. C I. D rect		
2 3 4 Corr	2. B 3. C I. D rect		
2 3 4 Corr	2. B 3. C I. D rect		
2 3 4 Corr	2. B 3. C I. D rect		
2 3 4 Corr	2. B 3. C I. D rect n-2	to William Boericke, this remedy can be given when Pulsa	tilla fails in school
2 3 4 Corr optio	According girls  A. Cal	carea phos.	tilla fails in school
2 3 4 Corr optio	According girls  A. Calc B. Nat	carea phos. rum mur.	tilla fails in school
2 3 4 Corr optio	According girls  A. Cal. B. Nat C. Kali	carea phos.	tilla fails in school

2. B 3. C 4. D Correct option-4	
A. Re B. Ar	derma blenorrhagicum" is characteristically associated with eactive arthritis hkylosing Spondylitis
	neumatoid arthritis
Q.22 Disin	fection of urine is an example of
A.	Pre current disinfection
B.	Terminal disinfection
C.	Concurrent disinfection
D.	Sterilization
Options 1. A 2. B 3. C 4. D Correct option-1	

Q.23	"Ch	ildren get sick in the evening when sitting before an open coal fire or falling asleep
	there	e." This symptom belongs to which remedy?
	Α.	Glonoine
	B.	Natrum carb.
	C.	Ferrum met.
	D.	Belladonna
Options		
	2. B	
	3. C	
	4. D	
optio		
Q.24	The	diagnosis of a patient presenting with seizures, mental retardation & sebaceous
		noma is:
	Α.	Tuberous Sclerosis
	B.	Hypothyroidism
	C.	Toxoplasmosis
	D.	Neurofibromatosis
Options	1. A	
	2. B	
	3. C	
	4. D	
optio		
Q.25	Afte	r a minor head injury, a young patient was unable to close his left eye and had
		oling of saliva from left angle of mouth. He is suffering from which nerve injury?
	Α.	IIIrd
	B.	Vth
	C.	VIIth
	D.	IIIrd & VIIth
Options	1. A	
	2. B	
	3. C	
	4. D	
optio	rect on-3	

Q.26	
The	e Brown-Sequard Syndrome is characterised by
A.	Ipsilateral loss of pain
В.	Contralateral loss of position sense
C.	Contralateral loss of vibration sense
D.	Contralateral loss of temperature
Options 1. A	will be a property of the second of the seco
2. B	
3. C 4. D	
Correct	
option-4	
0.07	
Q.27 Abse	ence of pain and muscular mobility, especially in muscles of expression and of motion is an indication of
Α.	Opium
B.	Stramonium
C.	Lac. can.
D.	Belladonna
Options 1. A	
2. B 3. C	
3. C 4. D	
Correct option-2	
Option-2	
Q.28 The	characteristic Chromosomal abnormality found in cases of Down Syndrome is
A.	Trisomy 21
B.	Trisomy 18
C.	Trisomy 15
D.	Trisomy 13
Options 1. A	
2. B	
3. C 4. D	
Correct	
option-1	

- **Q.29** Single Flask method of preparation of potencies is called
- A. Korsakovian attenuations
- B. Hahnemannian attenuations
- C. Jenichen's attenuations
- D. Skinner's attenuations
- Options 1. A
  - 2. B
  - 3. C
  - 4. D

Correct option-1

	ower of Class III of old method of Preparation	of mother tinctures is
Λ.	/2 /6	
	/10	
	/100	
Options 1. A		
2. B		
3. C 4. D		
Correct		
option-2		
<b>T</b> 1		
Q.31 A.	e remedy for chronic complaints that date ba Tarentula cubensis	ck to septic conditions is
В.		
Б. С.		
D.		
<i>D</i> .		
Options 1. A		
2. B 3. C		
4. D orrect option-	2	

Q.32 Foot A. B. C. D. Options 1. A 2. B 3. C 4. D	Drop is caused by Injury to Tibial nerve Injury to Popliteal Nerve Injury to Flexor digitorum longus Injury to Common Peroneal nerve
Correct option-4	
	o dose of Polio vaccine is given:
A. B.	At birth  Before giving DPT vaccine
C.	When child is having diarrhoea
D.	When child is having polio
Options 1. A 2. B 3. C 4. D Correct option-1	
Q.34 Wh	nich is NOT transmitted via breast milk?
A.	Hepatitis A
B.	Hepatitis B
C.	Hepatitis C
D.	Hepatitis D
Options 1. A 2. B 3. C 4. D Correct option-3	

Q.35 <sub>Elai</sub>	Chest is defined as	
Flai A.	Blunt Myocardial Injury	
В.	Pericardial Tamponade	
C.	Injury to one Rib	
D.	Three or more rib fractures in two or more places	
Options 1. A		
2. B 3. C		
4. D		
Correct option-4		
Q.36 Wh	ch of the following stain is considered the best stain for	cervical cytology?
A.	Leishman	
B.	Giemsa	
C.	Pap	
D.	H & E	
Options 1. A 2. B		
3. C		
4. D		
Correct option-3		
•		
•		
•		
·		
·		
•		
	hich of the following is a NOT a greent	house gas?
		house gas?
Q.37 W	Carbon monoxide	house gas?
Q.37 W	Carbon monoxide Nitrous oxide	house gas?
Q.37 W A B	Carbon monoxide  Nitrous oxide  Methane	house gas?
Q.37 W A B	Carbon monoxide  Nitrous oxide  Methane	house gas?
Q.37 MABCOptions 1. A 2. B	Carbon monoxide  Nitrous oxide  Methane	house gas?
Q.37 M A B C D Options 1. A 2. B 3. C	Carbon monoxide  Nitrous oxide  Methane	house gas?
Q.37 MABCO DOptions 1. A 2. B 3. C 4. D	Carbon monoxide  Nitrous oxide  Methane	house gas?

Q.38	Mato	ch List-I & List-II & Select the C	orrect	answer using the	codes given below :	
	List-	l (Repertory)	List	t-II (Gradation of	medicines)	
	i,	Robin Murphy's Repertory	a.	1		
	ii.	Boericke's Repertory	b.	3		
	iii.	J.H. Clarke Repertory	C.	4		
	iv.	Synthetic Repertory	d.	2		
		Codes :				
	Α.	i-b, ii-d, iii-c, iv-a				
	B.	i-b, ii-a, iii-d, iv-c				
	C. D.	i-c, ii-a, iii-d, iv-b				
Options 1		i-b, ii-d, iii-a, iv-c				
	2. B					
	3. C					
Cor	1. D rect					
optio						
Q.39	Br	eech with extended	legs	is also know	vn as:	
	A.	Flexed Breech				
	В.	Frank Breech				
	C.	Footling Present	tatio	n		
	D.	Knee Presentati	on			
Options 1	I. A					
	2. B					
	3. C 4. D					
Cor	rect					
optio	n-2					

Q.40	Croy Hanatication of Labor programanics, alyceli are filled with
	Grey Hepatisation of Lobar pneumonias, alveoli are filled with
Α.	Fibrin
В.	Organism
C.	RBC
D.	WBC
Options 1. A	
2. B 3. C	
4. D	
Correct option-1	
opor.	
Q.41 Which	h of the following remedy is given after Arnica in traumatic affections of ovaries?
A.	Bellis perennis
B.	Conium maculatum
	Psorinum
	Hamamelis
Options 1. A 2. B	
3. C	
4. D	
Correct option-3	
Q.42 "Mu	uscae volitantes" is found in which chapter of Kent's repertory?
A.	Mind
B.	Vision
C.	Eye
D.	Generalities
Options 1. A	
2. B	
3. C	
4. D Correct	
option-2	

Q.43	Most	Common viral cause of Gastritis is
	Α.	H. Pylori
	В.	Cytomegalovirus
	C.	Hepatitis A
	D.	Enterovirus
Options 1.	A	Littorovirao
2. 3.	С	
4. Corre option-	ct	
Q.44	Cina f	follows this remedy well in intermittent fever
	A.	Ipecac
	B.	Capsicum
	C.	Cinchona off.
	D.	Natrum mur.
Options 1.	В	
3. 4. Corre	D	
option-		
Q.45	Mallo	ory bodies are composed of
	Α.	Pre-Keratin
	B.	Neurofibrils
	C.	Microtubules
	D.	Vimentin
Correct of Options 1.	Ā	
2. 3. 4.	С	

Q.46 The maximum blood alcohol level allowed for driv	ing in India is
	ing in maia is
A. 20mg%	
B. 30mg%	
Service Company of Cartesian	
C. 50mg%	
D. 80mg%	
Options 1. A	
2. B	
3. C	
4. D	
Correct option-2	
οριοι-2	
Q.47 Concentric circles of similarity, as suggested by Joslin, is mention	ned in which of the
following Repertory?	ned in which of the
following Repertory?  A. Kent's Repertory	ned in which of the
following Repertory?  A. Kent's Repertory  B. Boenninghausen's Therapeutic Pocket Book	ned in which of the
following Repertory?  A. Kent's Repertory	ned in which of the
following Repertory?  A. Kent's Repertory  B. Boenninghausen's Therapeutic Pocket Book	ned in which of the
following Repertory?  A. Kent's Repertory  B. Boenninghausen's Therapeutic Pocket Book  C. Boger Boenninghausen's Characteristics & Repertory  D. Knerr's Repertory	ned in which of the
following Repertory?  A. Kent's Repertory  B. Boenninghausen's Therapeutic Pocket Book  C. Boger Boenninghausen's Characteristics & Repertory	ned in which of the
following Repertory?  A. Kent's Repertory  B. Boenninghausen's Therapeutic Pocket Book  C. Boger Boenninghausen's Characteristics & Repertory  D. Knerr's Repertory  Options 1. A	ned in which of the
following Repertory?  A. Kent's Repertory  B. Boenninghausen's Therapeutic Pocket Book  C. Boger Boenninghausen's Characteristics & Repertory  D. Knerr's Repertory  Options 1. A  2. B  3. C  4. D	ned in which of the
following Repertory?  A. Kent's Repertory  B. Boenninghausen's Therapeutic Pocket Book  C. Boger Boenninghausen's Characteristics & Repertory  D. Knerr's Repertory  Options 1. A  2. B  3. C  4. D  Correct	ned in which of the
following Repertory?  A. Kent's Repertory  B. Boenninghausen's Therapeutic Pocket Book  C. Boger Boenninghausen's Characteristics & Repertory  D. Knerr's Repertory  Options 1. A  2. B  3. C  4. D	ned in which of the
following Repertory?  A. Kent's Repertory  B. Boenninghausen's Therapeutic Pocket Book  C. Boger Boenninghausen's Characteristics & Repertory  D. Knerr's Repertory  Options 1. A  2. B  3. C  4. D  Correct	ned in which of the
following Repertory?  A. Kent's Repertory  B. Boenninghausen's Therapeutic Pocket Book  C. Boger Boenninghausen's Characteristics & Repertory  D. Knerr's Repertory  Options 1. A  2. B  3. C  4. D  Correct	ned in which of the
following Repertory?  A. Kent's Repertory  B. Boenninghausen's Therapeutic Pocket Book  C. Boger Boenninghausen's Characteristics & Repertory  D. Knerr's Repertory  Options 1. A  2. B  3. C  4. D  Correct	ned in which of the
following Repertory?  A. Kent's Repertory  B. Boenninghausen's Therapeutic Pocket Book  C. Boger Boenninghausen's Characteristics & Repertory  D. Knerr's Repertory  Options 1. A  2. B  3. C  4. D  Correct	ned in which of the
following Repertory?  A. Kent's Repertory  B. Boenninghausen's Therapeutic Pocket Book  C. Boger Boenninghausen's Characteristics & Repertory  D. Knerr's Repertory  Options 1. A  2. B  3. C  4. D  Correct	ned in which of the
following Repertory?  A. Kent's Repertory  B. Boenninghausen's Therapeutic Pocket Book  C. Boger Boenninghausen's Characteristics & Repertory  D. Knerr's Repertory  Options 1. A  2. B  3. C  4. D  Correct	ned in which of the
following Repertory?  A. Kent's Repertory  B. Boenninghausen's Therapeutic Pocket Book  C. Boger Boenninghausen's Characteristics & Repertory  D. Knerr's Repertory  Options 1. A  2. B  3. C  4. D  Correct option-2	
following Repertory?  A. Kent's Repertory  B. Boenninghausen's Therapeutic Pocket Book  C. Boger Boenninghausen's Characteristics & Repertory  D. Knerr's Repertory  Options 1. A  2. B  3. C  4. D  Correct option-2  Q.48 Fetal Pole and cardiac activity can be detected by transvaginal	
following Repertory?  A. Kent's Repertory  B. Boenninghausen's Therapeutic Pocket Book  C. Boger Boenninghausen's Characteristics & Repertory  D. Knerr's Repertory  Options 1. A  2. B  3. C  4. D  Correct option-2	
following Repertory?  A. Kent's Repertory  B. Boenninghausen's Therapeutic Pocket Book  C. Boger Boenninghausen's Characteristics & Repertory  D. Knerr's Repertory  Options 1. A  2. B  3. C  4. D  Correct option-2  Q.48 Fetal Pole and cardiac activity can be detected by transvaginal	
following Repertory?  A. Kent's Repertory  B. Boenninghausen's Therapeutic Pocket Book  C. Boger Boenninghausen's Characteristics & Repertory  D. Knerr's Repertory  Options 1. A  2. B  3. C  4. D  Correct option-2  Q.48 Fetal Pole and cardiac activity can be detected by transvagina A. 6 Weeks	
following Repertory?  A. Kent's Repertory  B. Boenninghausen's Therapeutic Pocket Book  C. Boger Boenninghausen's Characteristics & Repertory  D. Knerr's Repertory  Options 1. A  2. B  3. C  4. D  Correct option-2  Q.48 Fetal Pole and cardiac activity can be detected by transvagina A. 6 Weeks  B. 7 Weeks  C. 10 Weeks	
following Repertory?  A. Kent's Repertory  B. Boenninghausen's Therapeutic Pocket Book  C. Boger Boenninghausen's Characteristics & Repertory  D. Knerr's Repertory  Options 1. A  2. B  3. C  4. D  Correct option-2  Q.48 Fetal Pole and cardiac activity can be detected by transvagina A. 6 Weeks  B. 7 Weeks  C. 10 Weeks  D. 12 Weeks	
following Repertory?  A. Kent's Repertory  B. Boenninghausen's Therapeutic Pocket Book  C. Boger Boenninghausen's Characteristics & Repertory  D. Knerr's Repertory  Options 1. A  2. B  3. C  4. D  Correct option-2  Q.48 Fetal Pole and cardiac activity can be detected by transvagina A. 6 Weeks  B. 7 Weeks  C. 10 Weeks  D. 12 Weeks  Options 1. A	
following Repertory?  A. Kent's Repertory  B. Boenninghausen's Therapeutic Pocket Book  C. Boger Boenninghausen's Characteristics & Repertory  D. Knerr's Repertory  Options 1. A  2. B  3. C  4. D  Correct option-2  Q.48 Fetal Pole and cardiac activity can be detected by transvagina A. 6 Weeks  B. 7 Weeks  C. 10 Weeks  D. 12 Weeks  Options 1. A  2. B	
following Repertory?  A. Kent's Repertory  B. Boenninghausen's Therapeutic Pocket Book  C. Boger Boenninghausen's Characteristics & Repertory  D. Knerr's Repertory  Options 1. A  2. B  3. C  4. D  Correct option-2  Q.48 Fetal Pole and cardiac activity can be detected by transvagina  A. 6 Weeks  B. 7 Weeks  C. 10 Weeks  D. 12 Weeks  Options 1. A	

Q.49	The	Sodium Potas	sium pump	is an exa	mple of:		
	A.	Active trans	port				
	B.	Passive trar	sport				
	C.	Facilitated of	iffusion				
	D.	Osmosis					
Options 1							
2.	. B						
	. C . D						
Corre	ect						
option	n-1						
	between t	sly healthy child of age he episodes, the child v vas dehydrated with ab r quadrant of abdomen	was passing Red Cu dominal distension a	ırrant Jelly Stool. and had a palpat	On examination, le mass on the		_
	between t the child v right uppe	he episodes, the child	was passing Red Cu dominal distension a . The most likely dia	ırrant Jelly Stool. and had a palpat	On examination, le mass on the		
	between t the child v right uppe A. Cor	he episodes, the child was dehydrated with ab r quadrant of abdomen	was passing Red Cu dominal distension a . The most likely dia	ırrant Jelly Stool. and had a palpat	On examination, le mass on the		
	between t the child v right uppe A. Cor B. Intu	he episodes, the child vas dehydrated with ab r quadrant of abdomen genital Pyloric Stenosi ssusception	was passing Red Cu dominal distension a . The most likely dia	ırrant Jelly Stool. and had a palpat	On examination, le mass on the		
	between t the child v right upper A. Cor B. Intu C. Isch D. App	he episodes, the child was dehydrated with ab r quadrant of abdomen genital Pyloric Stenosi ssusception	was passing Red Cu dominal distension a . The most likely dia	ırrant Jelly Stool. and had a palpat	On examination, le mass on the		_
Options 1.	between t the child v right uppe A. Cor B. Intu C. Isch D. App	he episodes, the child vas dehydrated with ab r quadrant of abdomen genital Pyloric Stenosi ssusception	was passing Red Cu dominal distension a . The most likely dia	ırrant Jelly Stool. and had a palpat	On examination, le mass on the		
Options 1.	between the child wright upper A. Corr. B. Intu. C. Isch. D. App. A. A. B.	he episodes, the child vas dehydrated with ab r quadrant of abdomen genital Pyloric Stenosi ssusception	was passing Red Cu dominal distension a . The most likely dia	ırrant Jelly Stool. and had a palpat	On examination, le mass on the		_
<b>Options</b> 1. 2. 3 4	between t the child v right uppe A. Cor B. Intu C. Isch D. App A B C C C C C C C C C C C C C C C C C C	he episodes, the child vas dehydrated with ab r quadrant of abdomen genital Pyloric Stenosi ssusception	was passing Red Cu dominal distension a . The most likely dia	ırrant Jelly Stool. and had a palpat	On examination, le mass on the		
Options 1. 2. 3 4 Corre	between t the child v right uppe A. Cor B. Intu C. Isch D. App A B C C D D D D D D D D D D D D D D D D D	he episodes, the child vas dehydrated with ab r quadrant of abdomen genital Pyloric Stenosi ssusception	was passing Red Cu dominal distension a . The most likely dia	ırrant Jelly Stool. and had a palpat	On examination, le mass on the		
<b>Options</b> 1. 2. 3 4	between t the child v right uppe A. Cor B. Intu C. Isch D. App A B C C D D D D D D D D D D D D D D D D D	he episodes, the child vas dehydrated with ab r quadrant of abdomen genital Pyloric Stenosi ssusception	was passing Red Cu dominal distension a . The most likely dia	ırrant Jelly Stool. and had a palpat	On examination, le mass on the		
Options 1. 2. 3 4 Corre	between t the child v right uppe A. Cor B. Intu C. Isch D. App A B C C D D D D D D D D D D D D D D D D D	he episodes, the child vas dehydrated with ab r quadrant of abdomen genital Pyloric Stenosi ssusception	was passing Red Cu dominal distension a . The most likely dia	ırrant Jelly Stool. and had a palpat	On examination, le mass on the		
Options 1. 2. 3 4 Corre	between t the child v right uppe A. Cor B. Intu C. Isch D. App A B C C D D D D D D D D D D D D D D D D D	he episodes, the child vas dehydrated with ab r quadrant of abdomen genital Pyloric Stenosi ssusception	was passing Red Cu dominal distension a . The most likely dia	ırrant Jelly Stool. and had a palpat	On examination, le mass on the		
Options 1. 2. 3 4 Corre	between t the child v right uppe A. Cor B. Intu C. Isch D. App A B C C D D D D D D D D D D D D D D D D D	he episodes, the child vas dehydrated with ab r quadrant of abdomen genital Pyloric Stenosi ssusception	was passing Red Cu dominal distension a . The most likely dia	ırrant Jelly Stool. and had a palpat	On examination, le mass on the		
Options 1. 2. 3 4 Corre	between t the child v right uppe A. Cor B. Intu C. Isch D. App A B C C D D D D D D D D D D D D D D D D D	he episodes, the child vas dehydrated with ab r quadrant of abdomen genital Pyloric Stenosi ssusception	was passing Red Cu dominal distension a . The most likely dia	ırrant Jelly Stool. and had a palpat	On examination, le mass on the		
Options 1. 2. 3 4 Corre	between t the child v right uppe A. Cor B. Intu C. Isch D. App A B C C D D D D D D D D D D D D D D D D D	he episodes, the child vas dehydrated with ab r quadrant of abdomen genital Pyloric Stenosi ssusception	was passing Red Cu dominal distension a . The most likely dia	ırrant Jelly Stool. and had a palpat	On examination, le mass on the		
Options 1. 2. 3 4 Corre	between the child wright upper A. Correct B. Intu C. Isch D. App. A. B. C. D. App. A. B. C. D. C. C. D. C. D. C. C. C. D. C. C. C. D. C. C. C. D. C.	he episodes, the child vas dehydrated with ab r quadrant of abdomen genital Pyloric Stenosi ssusception	was passing Red Cu dominal distension a . The most likely dia s	urrant Jelly Stool. and had a palpat agnosis in this ca	On examination, le mass on the se is:		
Options 1. 2. 3. 4. Correoption	between the child wright upper A. Correct B. Intu C. Isch D. App. A. B. C. D.	the episodes, the child was dehydrated with about a quadrant of abdoment agenital Pyloric Stenosics assusception are a colitis a	was passing Red Cu dominal distension a . The most likely dia s	urrant Jelly Stool. and had a palpat agnosis in this ca	On examination, le mass on the se is:		
Options 1. 2. 3 4 Correspondence	between the child viright upper A. Cor B. Intu C. Isch D. App. A. B. C. D. Ect D. D.	the episodes, the child was dehydrated with about a quadrant of abdoment agenital Pyloric Stenosics susception are colitis are following author's Corcos Jaminez agaret Tyler	was passing Red Cu dominal distension a . The most likely dia s	urrant Jelly Stool. and had a palpat agnosis in this ca	On examination, le mass on the se is:		
Options 1. 2. 3 4 Correspondence	between the child viright upper A. Cor B. Intu C. Isch D. App. A. B. C. D. Ect D. C. P. S. E. Mar C. P. S. E. C. P. S. E. C. D. Ect D	the episodes, the child was dehydrated with about a quadrant of abdoment agenital Pyloric Stenosics assusception are a colitis a	was passing Red Cu dominal distension a . The most likely dia s	urrant Jelly Stool. and had a palpat agnosis in this ca	On examination, le mass on the se is:		

2. B 3. C 4. D Correct option-2	
Q.52 A part Boer A. B. C. D. Options 1. A 2. B 3. C 4. D Correct option- 3	tient complains of pain in epigastrium, worse at 3 am. According to ninghausen's schema of symptomatology, this Symptom complex has elements of  Ubi & Cur  Quomodo & Quando  Ubi & Quando  Cur & Quibis auxiliis
Q.53 CC	onstipation of infants during dentition is characteristic of
A.	
B.	
C.	Sanicula
D.	Causticum
Options 1. A 2. B 3. C 4. D Correct option-2	
	nich of the following chapter of B.B.C.R, the rubric "Carphology" is given?
Q.54	Extremities Mind
B. C.	Mind Sensations and complaints in General
D.	Conditions of Aggravation and Amelioration in general

2. B 3. C 4. D Correct option-3		
Q.55 In which ye A. 1906 B. 1906 C. 1915 D. 1931 Options 1. A 2. B 3. C 4. D Correct option-2		Boger published?
Q.56 Gran	ulation tissue appears due to	
A.	Thrombosed capillaries	
В. С.	Chronic inflammatory cells  Budding ends of capillaries	
D.	Necrosis	
Options 1. A 2. B 3. C 4. D Correct option-3		

Q.57 Which A. B. C. D. Options 1. A 2. B 3. C 4. D Correct option-1	h of the following branch of Pharmacy deals with the repetition of dose?  Pharmacopollaxy  Pharmacognosy  Pharmacopraxy  Pharmaconomy
Q.58 Histo	ological structures present in cornea consists of all EXCEPT
A.	Corneal epithelium
B.	Anterior elastin lamina
C.	Posterior elastin lamina
D. Options 1. A	Inferior elastin lamina
2. B 3. C	
4. D Correct	
option-4	
Q.59 Na	tural History of Disease is best established by
Α.	Descriptive Epidemiology
B.	Cohort Studies
C.	Case Control Studies
D.	Ecological Studies
Options 1. A 2. B	
3. C 4. D	
Correct option-2	

		Status : <b>Answered</b> Chosen Option : <b>2</b>
Q.60 HV	perextension of Hip Joints may induce Abdom	ninal pain in
A.	Pelvic Appendicitis	
В.	Post-ileal Appendicitis	
C.		
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Retrocaecal Appendicitis	
D. Options 1. A	Chronic cholecystitis	
2. B		
3. C		
4. D Correct		
option-3		
Q.61 Tota	Il number of drugs in the "Concordances" section of Boger B	penninghausen's
Cha A.	racteristics & Repertory are 125	
В.	141	
C.	362	
D.	464	
Options 1. A		
2. B 3. C		
4. D		
Correct option-1		
<b>Q.62</b> The	test to differentiate Iron deficiency anemia from Anemia of ch	nronic disease is:
A.	Serum Iron	
В.	Serum Ferritin	
C.	TIBC	
D.	Transferrin Saturation	
Options 1. A 2. B		
3. C		
4. D Correct		
option-2		

Q.63 Which	h remedy is most suitable for complaints from straining, ons?	especially the flexor
Α.	Rhus tox	
B.	Bellis perennis	
C.	Ruta graveolens	
D.	Arnica montana	
Options 1. A		
2. B		
3. C 4. D		
Correct		
option-3		
Q.64 In fe	males, which of the following blood cells contain 'E	Davidson bodies'?
Α.	Eosinophils	
В.	Basophils	
C.	Neutrophils	
D.	All of the above	
Options 1. A		
2. B 3. C		
4. D		
Correct option-3		
option o		
Q.65 Whic	ch of the following is used as an Antidote in glass p	owder poisoning?
A.	Bulky food	
В.	Activated Charcoal	
C.	Demulscent	
D.	Chelating Agent	
	Choldling / igoni	
Options 1. A 2. B		
2. Б 3. С		
4. D		
Correct option-1		
υμιση- ι		

Q.66	optosis is	
A.	Reversible cell injury	
В.	Irreversible cell injury	
C.	Programmed cell death	
D.		
Options 1. A 2. B 3. C	Deranged cell metabolism	
4. D		
Correct option-3		
Q.67 Durin	ng which action of medicine does Homoeopathic aggravation ta	ke place?
A.	Primary	
В. С.	Secondary Alternating	
D.	Tertiary	
Options 1. A		
2. B 3. C		
4. D		
Correct option-1		
revea	years old woman presented with menorrhagia and dysmenorrhoea. Ealed an enlarged uterus to about 12 weeks size, which was soft & tenble diagnosis is	xamination der. The
	P.I.D.	
	Adenomyosis	
	Endometriosis Uterine Fibroids	
Options 1. A	Storing Fibroids	
2. B		
3. C		
4. D Correct		
option-2		

0.00				
Q.69	Gold	d Standard investigation in the diagnosis of a	case of Er	ndometriosis is
	A.	Ultrasound		
	B.	MRI		
	C.	Laparoscopy		
	D.	Color Doppler		
Options 1	. A			
	. B			
	. C			
Corr	. D ect			
optio	n-3			
Q.70	A pat	tient on routine X-ray of Cervical Spine was seen h	naving an ex	ktra rib. The most
		able artery which can be compressed is		
	Α.	Subclavian artery		
	B. C.	Vertebral artery Carotid artery		
	D.	Basilar artery		
Options 1		bushul urtery		
	. B			
3	. C			
	. D			
Corr optio				
Q.71	In wh	hich sub section of Boenninghausen's Therapet	utic Pocket	book the rubric
	"Qua	almishness" is given?		
	Α.	Hunger and Thirst		
	B.	Mouth and Fauces		
	C.	Nausea and Vomiting		
	D.	Eructations		
Options 1	. A			
	. B			
	. C			
4 Corr	. D ect			
optio				

Q.72	Λn	ositiva Nikalsky si	an will be four	nd in case of	
		ositive Nikolsky si	gii wiii be ioui	id iii case oi	
	Α.	Lichen planus			
	B.	Psoriasis			
	C.	Pemphigus			
	D.	SLE			
Options 1					
	2. B 3. C				
	I. D				
option					
Q.73	A. S	n chapter of B.B.C.R., the rubr kin and exterior body ensation and complaints in ge ead		s given?	
<b>Options</b> 1 2 3	A. S B. S C. H D. C A. A 2. B 3. C 4. D rect	kin and exterior body	eneral	s given?	
Options 1 2 3 4 Corr	A. S. B. S. C. H. D. C. B. B. C. I. D. rect n-1	kin and exterior body ensation and complaints in ge ead	eneral amelioration in general		
Options 1 2 3 4 Corr option	A. S.B. S.C. H.D. C.B.B.C.L.D.rectn-1	kin and exterior body ensation and complaints in ge ead onditions of aggravation and a among the following is a O.M. Drake	eneral amelioration in general		
Options 1 2 3 4 Corr option	A. S. B. S. C. H. D. C. B. B. C. II. D. Pect n-1	kin and exterior body ensation and complaints in ge ead conditions of aggravation and a among the following is a O.M. Drake H.A. Roberts	eneral amelioration in general		
Options 1 2 3 4 Corr option	A. S. B. S. C. H. D. C. Who A. B. C.	kin and exterior body ensation and complaints in ge ead onditions of aggravation and a among the following is a O.M. Drake H.A. Roberts H. Perkins	eneral amelioration in general		
Options 1 2 3 4 Corroption	A. S. B. S. C. H. D. C. Who A. B. C. D.	kin and exterior body ensation and complaints in ge ead conditions of aggravation and a among the following is a O.M. Drake H.A. Roberts	eneral amelioration in general		
Options 1 2 3 4 Corresption	A. S. B. S. C. H. D. C. Who A. B. C. D.	kin and exterior body ensation and complaints in ge ead onditions of aggravation and a among the following is a O.M. Drake H.A. Roberts H. Perkins	eneral amelioration in general		
Options 1 2 3 4 Corroption  Q.74  Options 1 2 3	A. S. B. S. C. J. A. B. B. C. D. Who A. B. C. D A	kin and exterior body ensation and complaints in ge ead onditions of aggravation and a among the following is a O.M. Drake H.A. Roberts H. Perkins	eneral amelioration in general		

Q.75 Le	eprosy commonly spreads by	
A.	Milk	
B.	Droplet	
C.	Water	
D.	Mosquito	
Options 1. A		
2. B		
3. C 4. D		
Correct option-2		
Q.76 Perr	manent impairment of Finger print pattern occurs in case	es of
Α.	Leprosy	
B.	Rickets	
C.	Eczema	
D.	Acromegaly	
Options 1. A		
2. B 3. C		
4. D		
Correct option-1		

Q.77 Wha	at is the peak Level of LH required for Ovulation?
A.	45ng/ml
В.	55ng/ml
C.	65ng/ml
D.	75ng/ml
Options 1. A	, s.i.g, iii
2. B 3. C	
4. D Correct	
option-4	
Q.78 Which	ch of the following structure does not pierce sclera?
A.	Optic nerve
B.	Optic artery
C.	Ciliary nerve
D.	Choroid veins
Options 1. A 2. B 3. C 4. D Correct option-2	
Q.79 CSF	Pressure is mainly regulated by
A.	Venous pressure
B.	Cerebral blood flow
C.	Rate of CSF formation
D.	Rate of CSF absorption
Options 1. A 2. B 3. C 4. D Correct option-4	

			Option 2 ID: 44925664838 Option 3 ID: 44925664839 Option 4 ID: 44925664840 Status: Answered Chosen Option: 2
Q.80	Wh	nich of the following is considered as Refe	erence protein?
	Α.	Milk	transport information of a month and a
	В.	Meat	
	C.	Fish	
Options	D.	Egg	
; ;	2. B 3. C 4. D		
Q.81	The A. B.	e earliest ECG change in Acute Myocard  Development of Q wave  Diminution in size of R wave	ial infarction is
	C. D.	ST segment deviation T wave Inversion	
;	2. B 3. C 4. D		
Q.82		th of the following miasm was described by Hahnemanr	n as "Hydra-headed"?
	А. В.	Psora Sycosis	
	Б. С.	Syphilis	
	D.	Pseudo-Psora	
;	1. A 2. B 3. C 4. D		
4		ect option-1	

Q.83	ch of the following remedy has been recommended by Hahnemann in case of
benu	umbed state of nerves in one sided diseases?
A.	Opium
В.	Valeriana
C.	Stramonium
D.	Psorinum
Options 1. A	
2. B 3. C	
4. D	
Correct option- 1	
Q.84 For p alcoh	oreparation of Mother solution in Fifty Millesimal scale of potencies, the ratio of hol to water and strength of alcohol is
Α.	1:2; 92% v/v
B.	1:2; 99.4% v/v
C.	1:4; 70% v/v
D.	1:4; 95% v/v
Options 1. A 2. B	
3. C	
4. D	
Correct option-4	
Q.85 Wro	ongly matched pair is:
A.	Electric alternans -Cardiac tamponade
В.	Pulses alternans-Myocardial infarction
	Wellen's Syndrome-Unstable angina
C.	Vicinity Syndrome Shistable angina
C. D.	
D.	Infective endocarditis-Rose spots
D.  Options 1. A	

	Question Type: MCQ Question ID: 44925616425 Option 1 ID: 44925664705 Option 2 ID: 44925664706 Option 3 ID: 44925664707 Option 4 ID: 44925664708 Status: Answered Chosen Option: 4
Q.86  A severely anemic patient complains of paralysis of extensors of fore progressive emaciation. Patient has a fear of being assassinated. The blue line observed along the margins of gum with obstinate constipation colic. Which is the most suitable remedy?  A. Alumina B. Plumbum met. C. Platina D. Argentum met.  Options 1. A 2. B	ere is a distinct
3. C 4. D Correct option-2	
Q.87 Renin is secreted by:	
A. Juxtaglomerular apparatus	
B. Collecting ducts	
C. Loop of Henle	
D. Proximal tubule	
Options 1. A 2. B 3. C 4. D Correct option-1	
Q.88 Among the following Mammography findings, which one is NOT a featur A. Asymmetric Thickening of Breast Tissue B. A solid mass with or without stellate features C. Cluster Micro Calcification D. Macro Calcification	e of Breast Cancer?

Options	1. A				
	2. B				
	3. C				
Cor	4. D rrect				
optio	option-3				
Q.89	The fo	ollowing question consists of two Statements, one labelled as the "Assertion (S)" & ther as "Reason (R)"			
	You a	are to examine the two Statements carefully & select the most appropriate answer.			
	Asser regula	rtion (S) During drug proving, all salads and medicinal herb soups should be taken			
		on (R) Diet should be purely nutritious & of simple character during drug proving.			
	A.	Both S & R are individually true & R is the correct explanation of S.			
	B.	Both S & R are individually true & R is NOT the correct explanation of S.			
		S is False & R is true			
		S is true & R is False			
Options	1. A 2. B				
	2. D 3. C				
	4. D				
Cor optio	rrect on-3				
Q.90	\/\/hi	ich one of the following is the most preferred cut for episiotomy?			
4.00	Α.	J Shaped			
	В.	Median			
	C.	Medio lateral			
	D.	Lateral			
Options	1. A				
	2. B				
	3. C 4. D				
Cor	rrect				
optio	on-3				

Q.91	Which	salt was discovered by Glauber in 1658 & is named as 'Sal mirabile'?
	A.	Sanicula
		Nat. sulph.
		Mag. carb. Nat. phos.
Options '		nat. prios.
	2. B 3. C	
	4. D	
Cor optic		
Q.92	In one-s	sided mental and emotional diseases, transient alleviation of psychical disease nergence of corporeal symptom occurs during
		Acute mania
		Primary Stage of Syphilis
		sopathic mode of Treatment  .ucid interval
Options <sup>2</sup>		
1	2. B 3. C	
1	s. C 4. D	
Cor optic		
Q.93	Effo	ort during normal respiration is due to:
	A.	Respiratory air passages
	B.	Alveolar air spaces
	C.	Creating negative pleural pressure
	D.	Lung elasticity
Options		
1	2. B 3. C	
1	4. D	
optic		
l .		

		Status : <b>Answered</b> Chosen Option : <b>4</b>
Q.94 Which cind A. B. C. D. Options 1. A 2. B 3. C 4. D Correct option-1	ch is the most suitable remedy for profuse watering from eyes lers and other foreign bodies?  Aconitum napellus Sulphuric acid Ledum pal. Crotalus horridus	after extraction of
Q.95 B A B C D Options 1. A 2. B 3. C 4. D Correct option-2	Status of Membranes  Cervical Effacement	
Q.96	Charcot's Triad is seen in	
A	. Cholangitis	
Е	3. Appendicitis	
C	C. Acute Gastritis	
	). Peptic Ulcer	
Options 1. A 2. B 3. C 4. D Cor	rect option-1	

0.07		
Q.97	The earliest external sign of Auto	olysis is seen in
	A. Cornea	
	B. Conjunctiva	
	C. Sclera	
	D. Iris	
Options 1. A		
2. E		
3. ( 4. [		
Correct option-	at	
Option-	'	
Q.98 Ir	n which of the following Kent's observation is the Antid	lotal relationship of remedies
Δ	alled for? A. First	
E		
C		
	D. Eleventh	
Options 1. A		
2. E		
2. E 3. ( 4. E		
2. E 3. (	C D ct	
2. E 3. C 4. E Correc	C D ct	
2. E 3. C 4. E Correc	C D ct	
2. E 3. C 4. E Correc	C D ct	
2. E 3. C 4. E Correc	C D ct	
2. E 3. C 4. E Correc	C D ct	
2. E 3. ( 4. E Correc Option-	C D St 1	EXCEPT
2. E 3. C 4. E Correc Option-	All are effects of Sympathetic stimulation	EXCEPT
2. E 3. C 4. I Correc Option-	All are effects of Sympathetic stimulation  A. Increased contractility of heart	EXCEPT
2. E 3. C 4. E Correc Option-	All are effects of Sympathetic stimulation  A. Increased contractility of heart  B. Increased refractory period	EXCEPT
2. E 3. ( 4. [ Correc Option-	All are effects of Sympathetic stimulation  A. Increased contractility of heart	EXCEPT

suggestive of  A. Gardnerella vaginalis  B. Trichomoniasis  C. Candidiasis  D. Chlamydial infection		Tuise Coaching Institute. ATAT GET 2019 QXA Key
3. C 4. D Correct option-2  The Visualization of "clue cells" in a stained smear of vaginal discharge is highly suggestive of A. Gardnerella vaginalis B. Trichomoniasis C. Candidiasis D. Chlamydial infection  stions 1. A 2. B 3. C 4. D Correct option-1	2. B	
Correct option-2  100 The Visualization of "clue cells" in a stained smear of vaginal discharge is highly suggestive of  A. Gardnerella vaginalis  B. Trichomoniasis  C. Candidiasis  D. Chlamydial infection  11		
2.100 The Visualization of "clue cells" in a stained smear of vaginal discharge is highly suggestive of  A. Gardnerella vaginalis  B. Trichomoniasis  C. Candidiasis  D. Chlamydial infection  1. A  2. B  3. C  4. D  Correct option-1		
.100 The Visualization of "clue cells" in a stained smear of vaginal discharge is highly suggestive of  A. Gardnerella vaginalis  B. Trichomoniasis  C. Candidiasis  D. Chlamydial infection  tions 1. A  2. B  3. C  4. D  Correct option-1	Correct	
suggestive of A. Gardnerella vaginalis B. Trichomoniasis C. Candidiasis D. Chlamydial infection  tions 1. A 2. B 3. C 4. D Correct option-1	орион-2	
suggestive of A. Gardnerella vaginalis B. Trichomoniasis C. Candidiasis D. Chlamydial infection  tions 1. A 2. B 3. C 4. D Correct option-1		
suggestive of A. Gardnerella vaginalis B. Trichomoniasis C. Candidiasis D. Chlamydial infection  tions 1. A 2. B 3. C 4. D Correct option-1		
suggestive of A. Gardnerella vaginalis B. Trichomoniasis C. Candidiasis D. Chlamydial infection  tions 1. A 2. B 3. C 4. D Correct option-1		
suggestive of A. Gardnerella vaginalis B. Trichomoniasis C. Candidiasis D. Chlamydial infection  tions 1. A 2. B 3. C 4. D Correct option-1		
suggestive of A. Gardnerella vaginalis B. Trichomoniasis C. Candidiasis D. Chlamydial infection  tions 1. A 2. B 3. C 4. D Correct option-1		
suggestive of A. Gardnerella vaginalis B. Trichomoniasis C. Candidiasis D. Chlamydial infection  tions 1. A 2. B 3. C 4. D Correct option-1		
B. Trichomoniasis C. Candidiasis D. Chlamydial infection  tions 1. A 2. B 3. C 4. D Correct option-1	Q.100 The	Visualization of "clue cells" in a stained smear of vaginal discharge is highly gestive of
C. Candidiasis D. Chlamydial infection  tions 1. A 2. B 3. C 4. D Correct option-1	A.	Gardnerella vaginalis
D. Chlamydial infection  tions 1. A  2. B  3. C  4. D  Correct option-1	B.	Trichomoniasis
stions 1. A  2. B  3. C  4. D  Correct option-1	C.	Candidiasis
2. B 3. C 4. D Correct option-1	D.	Chlamydial infection
3. C 4. D Correct option-1	otions 1. A	
4. D Correct option-1	2. B	
Correct option-1		
option-1  ulse Coaching Institute. AIAPGET 2019		
ulse Coaching Institute. AIAPGET 2019	option-1	
ulse Coaching Institute. AIAPGET 2019 &A Key		
llse Coaching Institute. AIAPGET 2019 &A Key		
llse Coaching Institute. AIAPGET 2019 &A Key		
ulse Coaching Institute. AIAPGET 2019 &A Key		
ulse Coaching Institute. AIAPGET 2019 &A Key		
ulse Coaching Institute. AIAPGET 2019 &A Key		
ulse Coaching Institute. AIAPGET 2019 &A Key		
ulse Coaching Institute. AIAPGET 2019 &A Key		
ulse Coaching Institute. AIAPGET 2019 &A Key		
slse Coaching Institute. AIAPGET 2019 &A Key		
KA KCy	ulse Coach	ning Institute. AIAPGET 2019
	CA Key	